



Notice of Configuration Validation for:

Neogenesys sa de cv

Neogenesys Virtualization Messaging Blade Server

Implementing:

IBM* Lotus Domino* 8.0.x Installation on Red
Hat* Enterprise Linux* 5.0

Intel® Modular Server / Compute Module MFS5520VI

The following Intel® Enabled Server Acceleration Alliance (Intel® ESAA) participants have validated the above configuration in accordance with their own standard practices and procedures. Buyers must consult the individual Intel® ESAA participants for all information concerning such validation including, without limitation, requirements for product performance, reliability, and functionality when used with specified Intel server building block components.



Hardware Components

Quantity	Item	Manufacturer	Model
1	Intel® Modular Server	Intel	MFSYS35
1-6	Intel® Server Compute Module	Intel	MFS5520VI
4 GB or more	Memory modules	Any supported	
2	Intel® Xeon® processors	Intel	
2 -14 2.5" 1 - 6 3.5" Chassis	Hard drives	Any supported	
2-4	Power supply	Intel	AXXPSU
1-2	SAS storage module	Intel	AXXSCM3S
1-2	Internal Ethernet switch module	Intel	AXXSW1GB
1 (Optional)	Dual port 1 Gb Ethernet module	Intel	

Software Components

Item	Version	Manufacturer	Comment
Red Hat* Enterprise Linux*	5	Red Hat*	
IBM* Lotus Domino*	8.0.x	IBM*	

Date Issued: May 31, 2009

*Other names and brands may be claimed as the property of others.

